

CITY OF YUBA CITY  
STAFF REPORT

**Date:** July 20, 2021  
**To:** Honorable Mayor & Members of the City Council  
**From:** Public Works Department  
**Presented by:** Dave Vaughn, City Manager

---

**Summary**

**Subject:** Small Wireless Facility Policy

**Recommendation:** Adopt a Resolution establishing City Policy regarding Small Wireless Facilities in the public right-of-way and direct staff to place the Policy on the City's webpage.

**Fiscal Impact:** The policy will establish fees and yield potential lease revenue to offset anticipated costs.

---

**Purpose:**

To provide regulatory framework and standards for permitting the installation of Small Wireless Facilities within the City's right-of-way.

**Background:**

In recent years wireless telecommunication facilities have evolved into various types of facilities, two types of which are administrative wireless telecommunication facilities and major wireless telecommunication facilities. Major wireless telecommunication facilities are known as "macro-cells", while the administrative wireless telecommunication facilities are known as "small wireless facilities" (SWFs.)

Wireless telecommunication carriers increasingly seek to place administrative wireless facilities in the City's public right-of-way on utility poles, streetlights, and new poles. The demand for such wireless installations, particularly SWFs, is expected to grow exponentially over the next several years given the expansion of home streaming video, social media, drones, self-driving cars, and the Internet of Things (IoT) serving homes and businesses. To accommodate this expansion, the telecommunications industry seeks to implement SWFs by installing them onto street light poles and other utility poles in the public right-of-way, which are well-suited for limited range SWFs.

The FCC released a Declaratory Ruling and Third Report and Order (FCC Order) significantly limiting state and local management of SWFs in the public right-of-way. In short, the FCC Order defines SWFs as no more than 28 cubic feet in volume for all associated wireless equipment on one structure, antennas for SWFs shall be no more than 3 cubic feet in volume, and total height cannot be greater than 50 feet or extend higher than 10% the height of adjacent structures, whichever is greater. The FCC Order also has caps for all fees that local governments can charge to the actual and reasonable cost of providing service, imposed a review timeline known as a "shot clock" of 60 days for SWFs added to existing structures or 90 days for SWFs proposing a new structure, and the

FCC preempts all aesthetic requirements for SWFs in the public right-of-way, unless they are feasible, no more burdensome than those applied to other types of infrastructure deployments, and published in advanced.

**Analysis:**

The attached SWF policy (Attachment 1) provides the regulatory framework and standards for permitting the installation of SWFs within the City's right-of-way. The proposed policy and corresponding aesthetic standards have been revised in response to the FCC Order and comments from wireless telecommunication providers.

Permitting for wireless telecommunication facilities and SWFs will require a new type of permit, titled a Wireless Telecommunication Facility Permit. Additionally, the wireless telecommunications provider will need to enter into a Master License Agreement before applying for a Wireless Telecommunication Facility Permit to deploy SWF's within the City. Negotiations with a telecommunication provider can begin once the City policy has been adopted by City Council.

**Fiscal Impact:**

No fiscal impact is associated with the policy, outside of staff time. However, installation of wireless facilities would be subject to fees and yield potential lease revenue. Staff will bring to City Council a proposed Master License Agreement for use of City infrastructure in the ROW and a Resolution establishing fees associated with these applications at the time of the second reading.

**Alternatives:**

Do not adopt the Resolution establishing a City policy regarding SWFs. This will restrict the City's rights to enforce standards and regulations for wireless telecommunication facilities and structures in the public right-of-way.

**Recommendation:**

Adopt a Resolution establishing City Policy regarding Small Wireless Facilities in the public right-of-way and direct staff to place the Policy on the City's webpage.

**Attachments:**

1. Resolution establishing City Policy regarding SWFs
  - a. SWF Policy

**Prepared by:**

*/s/ William Jow*

William Jow  
Assistant Engineer

**Submitted by:**

*/s/ Dave Vaughn*

Dave Vaughn  
City Manager

**Reviewed by:**

Department Head

DL

Finance

SM

City Attorney

SLC by email

# ATTACHMENT 1

**RESOLUTION NO. \_\_\_\_\_**

**A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF YUBA CITY  
APPROVING AND ESTABLISHING CITY POLICY REGARDING SMALL WIRELESS  
FACILITIES IN THE PUBLIC RIGHT-OF-WAY**

WHEREAS, significant changes in federal law have recently been enacted, which affect local authority over Small Wireless Facilities (SWFs), as defined in 47 CFR 1.6002(1); and

WHEREAS, in response to these legislative changes, the City proposes adoption of a new City Policy that would establish requirements for permitting, operation, and maintenance of SWFs within the City of Yuba City; and

WHEREAS, Council desires to provide the maximum amount of local control for SWFs considering the revisions to federal law; and

NOW, THEREFORE, be it resolved by the City Council of the City of Yuba City as follows:

1. The foregoing recitals are true and correct.
2. The City Policy "SWF Regulations" and all associated exhibits attached hereto as Exhibit A is hereby approved and established.

The foregoing Resolution was duly and regularly introduced, passed, and adopted by the City Council of the City of Yuba City at a regular meeting thereof held on the 20<sup>th</sup> day of July 2021.

AYES:

NOES:

ABSENT:

ATTEST

\_\_\_\_\_  
Ciara Wakefield, Deputy City Clerk

\_\_\_\_\_  
Marc Boomgaarden, Mayor

APPROVED AS TO FORM  
COUNSEL FOR YUBA CITY

\_\_\_\_\_  
Shannon L. Chaffin, City Attorney  
Aleshire & Wynder, LLP

Attachment(s):  
Exhibit A – City Policy "SWF Regulations"

**CITY POLICY**  
**SMALL WIRELESS FACILITIES PER 47 CFR 1.6002(1)**  
**“SWF REGULATIONS”**

<b><u>SUBJECT:</u></b> Small Wireless Facilities (Administrative Approvals and Standards)	<b><u>AUTHORITY:</u></b> Resolution No. __ - __	<b><u>DATE ADOPTED:</u></b>
--	--	-----------------------------

**TABLE OF CONTENTS**

	<b><u>Page</u></b>
SECTION 1. GENERAL PROVISIONS .....	1
SECTION 1.1    PURPOSE AND INTENT .....	1
SECTION 1.2 GENERAL DEFINITIONS .....	1
SECTION 1.3 ACRONYM DEFINITIONS .....	2
SECTION 2. SMALL WIRELESS FACILITIES .....	3
SECTION 2.1 APPLICABILITY; REQUIRED PERMITS AND APPROVALS .....	3
SECTION 2.2 SMALL CELL PERMIT APPLICATION REQUIREMENTS; PRE-APPLICATION PUBLIC NOTICING REQUIREMENTS .....	3
SECTION 2.3 SMALL CELL PERMIT APPLICATION SUBMITTAL AND COMPLETENESS REVIEW .....	6
SECTION 2.4 ADDITIONAL FINDINGS FOR SWFs .....	7
SECTION 2.5 STANDARD CONDITIONS OF APPROVAL .....	7
SECTION 2.6 LOCATION REQUIREMENTS .....	9
SECTION 2.7 DESIGN STANDARDS .....	10

## City Policy

### SECTION 1. GENERAL PROVISIONS

#### SECTION 1.1 PURPOSE AND INTENT

This Policy is not intended to, nor shall it be interpreted or applied to: (1) prohibit or effectively prohibit any personal wireless service provider's ability to provide personal wireless services; (2) prohibit or effectively prohibit any entity's ability to provide any interstate or intrastate telecommunications service, subject to any competitively neutral and nondiscriminatory rules, regulations or other legal requirements for rights-of-way management; (3) unreasonably discriminate among providers of functionally equivalent services; (4) deny any request for authorization to place, construct or modify personal wireless service facilities on the basis of environmental effects of radio frequency emissions to the extent that such wireless facilities comply with the FCC's regulations concerning such emissions; (5) prohibit any collocation or modification that the City may not deny under federal or California state law; (6) impose any unfair, unreasonable, discriminatory or anticompetitive fees that exceed the reasonable cost to provide the services for which the fee is charged; or (7) otherwise authorize the City to preempt any applicable federal or California law.

#### SECTION 1.2 GENERAL DEFINITIONS

- (a) **Undefined Terms.** Undefined phrases, terms or words in this Policy will have the meanings assigned to them in Title 6 Chapter 8 of the Yuba City Municipal Code, as may be amended or superseded, and, if not defined therein, will have their ordinary meanings. If any definition assigned to any phrase, term or word in this Policy conflicts with any federal or state-mandated definition, the federal or state-mandated definition will control.
- (b) **Defined Terms.**
- (1) **“Approval authority”** means the City official responsible for reviewing applications for small cell permits and vested with the authority to approve, conditionally approve, or deny such applications as provided in this Policy. The approval authority for applications in connection with small wireless facilities within the public rights-of-way shall be the Public Works Department.
  - (2) **“Arterial road”** means a road designed primarily for long-distance travel with a typical curb-to-curb width greater than 60 feet, high traffic capacity, and low accessibility from neighboring roads. The term “arterial road” as used in this Policy defined in the Yuba City Municipal Code, Sec. 8-2.1405.
  - (3) **“Collector road”** means a road designed primarily as a connection between local roads and arterials, with a typical curb-to-curb width greater than 40 feet and less than 60 feet, moderate to low traffic capacity, and high accessibility from local roads. The term “collector road” as used in this Policy defined in the Yuba City Municipal Code, Sec. 8-2.1405.
  - (4) **“Concealed” or “concealment”** means camouflaging techniques that integrate the transmission equipment into the surrounding natural and/or built environment such that the average, untrained observer cannot directly view the equipment but would

## City Policy

likely recognize the existence of the wireless facility or concealment technique. Camouflaging concealment techniques include, but are not limited to: (1) facade or rooftop mounted pop-out screen boxes; (2) antennas mounted within a radome above a streetlight; (3) equipment cabinets in the public rights-of-way painted or wrapped to match the background; and (4) an isolated or standalone faux-tree.

- (5) **“Decorative pole”** means any pole that includes decorative or ornamental features, design elements and/or materials intended to enhance the appearance of the pole, or the public rights-of-way in which the pole is located.
- (6) **“FCC Shot Clock”** means the presumptively reasonable time frame within which the City generally must act on a given wireless application, as defined by the FCC and as may be amended from time to time.
- (7) **“Ministerial permit”** means any City-issued non-discretionary permit required to commence or complete any construction or other activity subject to the City's jurisdiction. Ministerial permits may include, without limitation, a building permit, construction permit, electrical permit, encroachment permit, excavation permit, and/or traffic control permit.
- (8) **“Personal wireless services”** means the same as defined in 47 U.S.C. § 332(c)(7)(C)(i), as may be amended or superseded, which defines the term as commercial mobile services, unlicensed wireless services, and common carrier wireless exchange access services.
- (9) **“Personal wireless service facilities”** means the same as defined in 47 U.S.C. § 332(c)(7)(C)(i), as may be amended or superseded, which defines the term as facilities that provide personal wireless services.
- (10) **“Section 6409”** means Section 6409(a) of the Middle Class Tax Relief and Job Creation Act of 2012, Pub. L. No. 112-96, 126 Stat. 156, codified as 47 U.S.C. § 1455(a), as may be amended.
- (11) **“Small cell”** bears the same meaning as “small wireless facility” or “SWF” as used in Title 6 Chapter 8 of the Municipal Code.

### SECTION 1.3 ACRONYM DEFINITIONS

#### (a) **Defined Acronyms.**

- (1) **“FCC”** means Federal Communications Commission
- (2) **“OSHA”** means Occupational Safety and Health Administration
- (3) **“PROW”** means Public Right of Way
- (4) **“RF”** means radio frequency or electromagnetic waves generally between 30 kHz and 300 GHz in the electromagnetic spectrum range.

## City Policy

- (5) “SWF” means Small Wireless Facility
- (6) “WTFP” means Wireless Telecommunication Facility Permit

### SECTION 2. SMALL WIRELESS FACILITIES

#### SECTION 2.1 APPLICABILITY; REQUIRED PERMITS AND APPROVALS

- (a) **Applicable Wireless Facilities.** Except as expressly provided otherwise in this Policy, the provisions in this Policy shall be applicable to all existing small wireless facilities and all applications and requests for authorization to construct, install, attach, operate, collocate, modify, reconstruct, relocate, or otherwise deploy small wireless facilities within the City's jurisdictional and territorial boundaries within the public right-of-way.

#### SECTION 2.2 SMALL CELL PERMIT APPLICATION REQUIREMENTS; PRE-APPLICATION PUBLIC NOTICING REQUIREMENTS

- (a) **Small Cell Permit Application Contents.** All applications for a SWF WTFP must include all the information and materials required in this subsection (a), unless exempted by the approval authority.
  - (1) **Application Form.** The applicant shall submit a complete, duly executed SWF WTFP application on the then-current form prepared pursuant to Title 6 Chapter 8 of the Municipal Code.
  - (2) **Application Fee.** The applicant shall submit the applicable SWF WTFP application fee established by City Council resolution. Batched applications must include the applicable application fee for each SWF in the batch.
  - (3) **Construction Drawings.** The applicant shall submit true and correct construction drawings, prepared, signed and stamped by a California licensed or registered engineer, that depict all the existing and proposed improvements, equipment and conditions related to the proposed project, which includes without limitation any and all poles, posts, pedestals, traffic signals, towers, streets, sidewalks, pedestrian ramps, driveways, curbs, gutters, drains, handholes, manholes, fire hydrants, equipment cabinets, antennas, cables, trees, and other landscape features. The construction drawings must: (i) contain cut sheets that contain the technical specifications for all existing and proposed antennas and accessory equipment, which includes without limitation the manufacturer, model number and physical dimensions; (ii) identify all structures within 50 feet from the proposed project site and call out such structures' overall height above ground level; (iii) depict the applicant's plan for electric and data backhaul utilities, which shall include the locations for all conduits, cables, wires, handholes, junctions, transformers, meters, disconnect switches, and points of connection; and (iv) demonstrate that proposed project will be in full compliance with all applicable health and safety laws, regulations or other rules, which includes without limitation all building codes, electric codes, local street standards and specifications, and public utility regulations and orders.



## City Policy

- (4) **Site Survey.** For any SWF proposed to be located within the PROW, the applicant shall submit a survey prepared, signed and stamped by a California licensed or registered engineer. The survey must identify and depict all existing boundaries, encroachments and other structures within 50 feet from the proposed project site, which includes without limitation all: (i) traffic lanes; (ii) all private properties and property lines; (iii) above and below-grade utilities and related structures and encroachments; (iv) fire hydrants, roadside call boxes and other public safety infrastructure; (v) streetlights, decorative poles, traffic signals and permanent signage; (vi) sidewalks, driveways, parkways, curbs, gutters and storm drains; (vii) benches, trash cans, mailboxes, kiosks, and other street furniture; and (viii) existing trees, planters and other landscaping features.
- (5) **Photo Simulations.** The applicant shall submit site photographs and photo simulations that show the existing location and proposed SWF in context from at least three vantage points within the public streets or other publicly accessible spaces, together with a vicinity map that shows the proposed site location, and the photo location for each vantage point.
- (6) **Project Narrative and Justification.** The applicant shall submit a written statement that explains in plain factual detail whether and why the proposed wireless facility qualifies as a SWF as defined by the FCC in 47 C.F.R. 1.6002(l). A complete written narrative analysis will state the applicable standard and all the facts that allow the City to conclude the standard has been met—bare conclusions not factually supported do not constitute a complete written analysis. As part of the written statement the applicant must also include (i) whether and why the proposed support is a structure as defined by the FCC in 47 C.F.R. § 1.6002(m); and (ii) whether and why the proposed wireless facility meets each required finding for a SWF permit as provided in Section 2.4.
- (7) **RF Compliance Report.** The applicant shall submit an RF exposure compliance report that certifies that the proposed SWF, as well as any collocated wireless facilities, will comply with applicable federal RF exposure standards and exposure limits. The RF report must be prepared and certified by an RF engineer acceptable to the City. The RF report must include the actual frequency and power levels (in watts ERP) for all existing and proposed antennas at the site and exhibits that show the location and orientation of all transmitting antennas and the boundaries of areas with RF exposures in excess of the uncontrolled/general population limit (as that term is defined by the FCC) and also the boundaries of areas with RF exposures in excess of the controlled/occupational limit (as that term is defined by the FCC). Each such boundary shall be clearly marked and identified for every transmitting antenna at the project site.
- (8) **Public Notice.** *Prior to a SWF application being deemed complete, applicants shall submit proof of mailing of public notice to all owners and occupants of real property, and the resident manager for any multi-family dwelling unit that includes ten (10) or more units, within 100 feet of the proposed SWF.* The notice must contain: (1) a general project description and dimensioned, full color photo

## City Policy

simulations; (2) the applicant's identification and contact information as provided on the application submitted to the City; (3) contact information for the approval authority; (4) a statement that the approval authority will act on the application without a public hearing but will accept written public comments that evaluate the application for compliance with the standards in this Policy; (5) a statement that the FCC requires the City to act on small cell permit applications, which includes any administrative appeals, in 60 days for attachments to existing structures and 90 days for new structures, unless the applicant voluntarily agrees to toll the timeframe for review; and (6) a deadline for submission of written public comments to the approval authority, which deadline shall not be less than thirty (30) days after mailing of said notice.

- (9) **Regulatory Authorization.** The applicant shall submit evidence of the applicant's regulatory status under federal and California law to provide the services and construct the SWF proposed in the application.
- (10) **Acoustic Analysis.** The applicant shall submit an acoustic analysis prepared and certified by an engineer for the proposed SWF and all associated equipment including all environmental control units, sump pumps, temporary backup power generators, and permanent backup power generators demonstrating compliance with the City's noise regulations. The acoustic analysis must also include an analysis of the manufacturers' specifications for all noise-emitting equipment and a depiction of the proposed equipment relative to all adjacent property lines. In lieu of an acoustic analysis, the applicant may submit evidence from the equipment manufacturer that the ambient noise emitted from all the proposed equipment will not, both individually and cumulatively, exceed the applicable limits.
- (11) **Wind Load Analysis.** The applicant shall submit a wind load analysis based on the City's region with an evaluation of high wind load capacity and shall include the impact of modification of an existing facility based on the City's region.
- (12) **Environmental Data.** A completed environmental assessment application, or in the alternative any and all documentation identifying the proposed WTFP as exempt from environmental review (under the California Environmental Quality Act, Public Resources Code 21000–21189, the National Environmental Policy Act, 42 U.S.C. §4321 *et seq.*, or related environmental laws). Notwithstanding any determination of environmental exemption issued by another governmental entity, the city reserves its right to exercise its rights as a responsible agency to review *de novo* the environmental impacts of any WTFP application.
- (13) **FAA Documentation.** Copies of any documents that the applicant is required to file pursuant to Federal Aviation Administration regulations for the proposed wireless telecommunications facility.
- (14) **Traffic Control Plan (TCP).** A traffic control plan when the proposed installation is on any City street. The city shall have the discretion to require a traffic control plan when the applicant seeks to use large equipment (e.g. crane).

## City Policy

- (15) **Landscape Plan.** A scaled conceptual landscape plan showing existing trees and vegetation and all proposed landscaping, concealment, screening, and proposed irrigation with a discussion of how the chosen material at maturity will screen the SWF and its accessory equipment.
  - (16) **CPCN.** Certification that applicant is a telephone corporation or a statement providing the basis for its claimed right to enter the PROW. If the applicant has a certificate of public convenience and necessity (CPCN) issued by the California Public Utilities Commission, it shall provide a copy of its CPCN.
- (b) **Additional Requirements.** The City Council authorizes the approval authority to develop, publish, and from time to time update or amend permit application requirements, forms, checklists, guidelines, informational handouts, and other related materials that the approval authority finds necessary, appropriate, or useful for processing any application governed under this Policy. All such requirements and materials must be in written form and publicly stated to provide all interested parties with prior notice (or posted upon the City's website).

### SECTION 2.3 SMALL CELL PERMIT APPLICATION SUBMITTAL AND COMPLETENESS REVIEW

- (a) **Pre-Submittal Conferences.** For purposes of SWFs only, and notwithstanding any contrary provisions of Title 6 Chapter 8, the City does not require pre-submittal appointments for the submission of SWF WTFPs. However, the City strongly encourages applicants to schedule and attend a pre-submittal conference with the approval authority for all proposed SWF projects, and particularly those that involve more than five SWFs. This voluntary pre-submittal conference does not cause the FCC Shot Clock to begin and is intended to streamline the review process through informal discussion that includes, without limitation, the appropriate project classification and review process; any latent issues in connection with the proposed project, including compliance with generally applicable rules for public health and safety; potential concealment issues or concerns (if applicable); coordination with other City departments responsible for application review; and application completeness issues. To mitigate unnecessary delays due to application incompleteness, applicants are encouraged (but not required) to bring any draft applications or other materials so that City staff may provide informal feedback and guidance about whether such applications or other materials may be incomplete or unacceptable. The approval authority shall use reasonable efforts to provide the applicant with an appointment within five working days after receiving a written request and any applicable fee or deposit to reimburse the City for its reasonable costs to provide the services rendered in the pre-submittal conference.
- (b) **Batched Applications.** Applicants may submit up to five individual applications for a SWF permit in a batch; provided, however, that small wireless facilities in a batch must be proposed with substantially the same equipment in the same configuration on the same support structure type. Each application in a batch must meet all the requirements for a complete application, which includes without limitation the application fee for each site in the batch.

## City Policy

- (c) **Additional Procedures.** The City Council authorizes the approval authority to establish other reasonable rules and regulations for duly filed applications. All such rules and regulations must be in written form and publicly stated to provide all interested parties with prior notice (or posted upon the City's website).

### SECTION 2.4 ADDITIONAL FINDINGS FOR SWFs

- (a) **Required Findings.** In addition to those finding requirements set forth in Title 6 Chapter 8 for SWF WTFP, the following findings are required for the approval or conditional approval of a SWF application:
  - (1) The proposed SWF would not be located on a prohibited support structure identified in this Policy;
  - (2) The proposed SWF would utilize the most preferred support structure and location within 250 feet from the originally proposed site in any direction, or the applicant has demonstrated with clear and convincing evidence in the written record that any more-preferred support structure(s) or locations within 250 feet would be technically infeasible;
  - (3) The pole the proposed SWF would utilize shall be inspected prior to installation and justification shall be provided in the construction drawings during the submittal confirming the structural integrity of the pole would not be compromised with the addition of SWF and all accessory parts installed;
  - (4) All public notices required for the application have been given.
- (b) Because Section 332(c)(7) of the Telecommunications Act preempts local decisions premised directly or indirectly on the environmental effects of radio frequency (RF) emissions, no decision upon a SWF application shall be premised upon the environmental or health effects of RF emissions, nor shall public comments be considered to the extent they are premised upon the environmental or health effects of RF emissions.

### SECTION 2.5 STANDARD CONDITIONS OF APPROVAL

- (a) **General Conditions.** In addition to all other conditions adopted by the approval authority and Title 6 Chapter 8 for a SWF permit, all SWF WTFPs issued under this Policy shall be automatically subject to the conditions in this subsection (a).
  - (1) **Post-Installation Certification.** Within 60 calendar days after the permittee commences full, unattended operations of a SWF approved or deemed-approved, the permittee shall provide the approval authority with documentation reasonably acceptable to the approval authority that the SWF has been installed and/or constructed in strict compliance with the approved construction drawings and photo simulations. Such documentation shall include without limitation as-built drawings, GIS data and site photographs.

## City Policy

- (2) **Adverse Impacts on Other Properties.** In addition to those requirements in Title 6 Chapter 8 the permittee shall not perform or cause others to perform any construction, installation, operation, modification, maintenance, repair, removal, or other work that involves heavy equipment or machines except during normal construction work hours authorized by the Municipal Code. The restricted work hours in this condition will not prohibit any work required to prevent an actual, immediate harm to property or persons, or any work during an emergency declared by the City or other state or federal government agency or official with authority to declare a state of emergency within the City. The approval authority may issue a stop work order for any activities that violates this condition in whole or in part.
- (3) **Inspections; Emergencies.** The permittee expressly acknowledges and agrees that the City's officers, officials, staff, agents, contractors, or other designees may enter onto the site and inspect the improvements and equipment upon reasonable prior notice to the permittee. Notwithstanding the prior sentence, the City's officers, officials, staff, agents, contractors, or other designees may, but will not be obligated to, enter onto the site area without prior notice to support, repair, disable, or remove any improvements or equipment in emergencies or when such improvements or equipment threatens actual, imminent harm to property, or persons. The permittee, if present, may observe the City's officers, officials, staff or other designees while any such inspection or emergency access occurs.
- (4) **Future Undergrounding Programs.** If other public utilities or communications providers in the PROW underground their facilities in the segment of the PROW where the permittee's SWF is located, the permittee must underground its equipment as technologically feasible except the antennas and any other equipment that must be placed above ground to function. Accessory equipment such as radios and computers that require an environmentally controlled underground vault to function shall not be exempt from this condition. SWFs installed on wood utility poles that will be removed pursuant to the undergrounding program may be reinstalled on a streetlight that complies with the City's standards and specifications. Such undergrounding shall occur at the permittee's sole cost and expense except as may be reimbursed through tariffs approved by the state public utilities commission for undergrounding costs.
- (5) **Electric Meter Upgrades.** If the commercial electric utility provider adopts or changes its rules obviating the need for a separate or ground-mounted electric meter and enclosure, the permittee on its own initiative and at its sole cost and expense shall remove the separate or ground-mounted electric meter and enclosure. Prior to removing the electric meter, the permittee shall apply for any encroachment and/or other ministerial permit(s) required to perform the removal. Upon removal, the permittee shall restore the affected area to its original condition that existed prior to installation of the equipment.
- (6) **Rearrangement and Relocation.** The permittee acknowledges that the City, in its sole discretion and at any time, may: (i) change any street grade, width or location; (ii) add, remove, or otherwise change any improvements in, on, under or along any

## City Policy

street owned by the City or any other public agency, which includes without limitation any sewers, storm drains, conduits, pipes, vaults, boxes, cabinets, poles, and utility systems for gas, water, electric, or telecommunications; and/or (iii) perform any other work deemed necessary, useful, or desirable by the City (collectively, "City work"). The City reserves the rights to do any and all City work without any admission on its part that the City would not have such rights without the express reservation in the SWF permit. If the Public Works Director determines that any City work will require the permittee's SWF located in the PROW to be rearranged and/or relocated, the permittee shall, at its sole cost and expense, do or cause to be done all things necessary to accomplish such rearrangement, and/or relocation. If the permittee fails or refuses to either permanently or temporarily rearrange and/or relocate the permittee's SWF within a reasonable time after the Public Works Director's notice, the City may (but will not be obligated to) cause the rearrangement or relocation to be performed at the permittee's sole cost and expense. The City may exercise its rights to rearrange or relocate the permittee's SWF without prior notice to permittee when the Public Works Director determines that the City work is immediately necessary to protect public health or safety. The permittee shall reimburse the City for all costs and expenses in connection with such work within 30 days after a written demand for reimbursement and reasonable documentation to support such costs.

### SECTION 2.6 LOCATION REQUIREMENTS

- (a) **Preface to Location Requirements.** Applications that involve lesser-preferred locations or structures may be approved so long as the applicant demonstrates that either (1) no more preferred locations or structures exist within 250 feet from the proposed site; or (2) any more preferred locations or structures within 250 feet from the proposed site would be technically infeasible to achieve the operator's service objectives, as supported by clear and convincing evidence in the written record. The final subsection of this Section 2.6 identifies "prohibited" support structures on which the City shall not approve any small cell permit application for any competitor or potential competitor.
- (1) Allowable locations for SWFs are on existing or replacement infrastructure such as street lights and utility poles.
  - (2) When locating in an alley, the SWF shall be placed at a height above the roof line of adjacent buildings to avoid being placed adjacent to a window. When locating in a walk-street, the facility shall be placed below the roof line of the adjacent buildings.
  - (3) When choosing locations, choose locations in between occupiable buildings rather than immediately adjacent to occupiable buildings, and not adjacent to a window.
  - (4) If the SWF is not able to be placed on existing infrastructure, the applicant shall provide a map of existing infrastructure in the service area and describe why each such site was not feasible.

## City Policy

- (b) **Locations in the Public Rights-of-Way.** The City prefers small wireless facilities in the public rights-of-way to be installed in locations, ordered from most preferred to least preferred, as follows:
- (1) Locations within commercial or industrial districts on or along arterial roads;
  - (2) Locations within commercial or industrial districts on or along collector roads;
  - (3) Locations within commercial or industrial districts on or along local roads;
  - (4) Locations within residential districts on or along arterial roads;
  - (5) Locations within residential districts on or along collector roads;
  - (6) Any location in any district within 250 feet from any structure approved for a residential use.
- (c) **Support Structures in the Public Rights-of-Way.** The City prefers SWFs to be installed on support structures in the PROW, ordered from most preferred to least preferred, as follows:
- (1) Existing or replacement streetlight poles;
  - (2) Existing or replacement wood utility poles;
  - (3) New, non-replacement streetlight poles;
  - (4) New, non-replacement poles for small wireless facilities.
- (d) **Prohibited Support Structures.** The City prohibits SWFs to be installed on the following support structures:
- (1) Decorative poles;
  - (2) Traffic signal signs, cabinets, and other related structures;
  - (3) Any utility pole scheduled for removal or relocation within 12 months from the time the approval authority acts on the small cell permit application;

### SECTION 2.7 DESIGN STANDARDS

- (a) **Visual & Other General Standards.** SWFs shall be designed in the least visible means possible and to be compatible with support structure/surroundings.
- (1) **Noise.** SWFs and all accessory equipment and transmission equipment must comply with all applicable noise control standards and regulations in Title 4 Chapter 17 of Yuba City Municipal Code, as may be amended or superseded, and shall not exceed, either on an individual or cumulative basis, the noise limit in the applicable district/zone.

## City Policy

- (2) **Lights.** SWFs shall not include any lights that would be visible from publicly accessible areas, except as may be required under Federal Aviation Administration, FCC, other applicable regulations for health and safety. All equipment with lights (such as indicator or status lights) must be installed in locations and within enclosures that mitigate illumination impacts visible from publicly accessible areas. The provisions in this subsection (a)(2) shall not be interpreted or applied to prohibit installations on streetlights or luminaires installed on new or replacement poles as may be required under this Policy.
  
- (3) **Landscape Features.** SWFs shall not displace any existing landscape features unless: (A) such displaced landscaping is replaced with native and/or drought-resistant plants, trees, or other landscape features approved by the approval authority and (B) the applicant submits and adheres to a landscape maintenance plan. The landscape plan must include existing vegetation, and vegetation proposed to be removed or trimmed, and the landscape plan must identify proposed landscaping by species type, size, and location. Landscape maintenance must be performed in accordance with Title 6 Chapter 8 of Yuba City Municipal Code, as either may be amended or superseded.
  - (A) If any trees are damaged or displaced, the permittee shall hire and pay for a licensed arborist to select, plant, and maintain replacement landscaping in an appropriate location for the species. Only International Society of Arboriculture certified workers under the supervision of a licensed arborist shall be used to install the replacement tree(s). Any replacement tree must be substantially the same size as the damaged tree. The permittee shall, at all times, be responsible to maintain any replacement landscape features.
  - (B) To preserve existing landscaping in the public rights-of-way, all work performed in connection with SWFs shall not cause any street trees to be trimmed, damaged, or displaced. If any street trees are damaged or displaced, the applicant shall be responsible, at its sole cost and expense, to plant and maintain replacement trees at the site for the duration of the permit term.
  
- (4) **Site Security Measures.** SWFs may incorporate reasonable and appropriate site security measures, such as locks and anti-climbing devices, to prevent unauthorized access, theft or vandalism. The approval authority shall not approve any barbed wire, razor ribbon, electrified fences, or any similarly dangerous security measures. All exterior surfaces on SWFs shall be constructed from or coated with graffiti-resistant materials.
  
- (5) **Signage; Advertisements.** All SWFs shall contain a site identification sticker that accurately identifies the site owner/operator, the owner/operator's site name, or identification number and a toll-free number to the owner/operator's network operations center. SWFs may not bear any other signage or advertisements unless expressly approved by the City, required by law or recommended under FCC, OSHA, Federal Aviation Administration or other United States governmental agencies for compliance with RF emissions regulations. Permittees shall:



## City Policy

- (A) Remove or paint over unnecessary equipment manufacturer decals and fill-in any visibly depressed manufacturer logos on equipment.
  - (B) Utilize the smallest and lowest visibility stickers required by government or electric utility regulations.
  - (C) Use sticker colors that are muted.
  - (D) Signage shall be maintained in legible condition and the carrier will be required to replace any faded signage within thirty (30) days of receiving written notification from the City that it is in need of replacing.
- (6) **Compliance with Health and Safety Regulations.** All SWFs shall be designed, constructed, operated, and maintained in compliance with all generally applicable health and safety regulations, which includes without limitation all applicable regulations for human exposure to RF emissions.
- (b) **Dimensions; Design.** Wireless facilities shall satisfy all specifications listed in the FCC Order defining a SWF.
- (1) **Overall Height.** SWFs may not exceed either (A) the minimum separation from electrical lines required by applicable safety regulations, or (B) the 28 cubic feet maximum volumetric requirement for SWFs. In addition, SWFs shall be located no higher than 10% or 10 feet, whichever is greater, than the height otherwise permitted in the immediately adjacent zoning district.
  - (2) **Concealment.** All antennas and associated mounting equipment, hardware, cables, or other connectors must be completely concealed as technologically feasible. Antenna shrouds or radomes must be painted a flat, non-reflective color to match the underlying support structure. The wireless facility and accessory equipment shall be camouflaged with use of one or more concealment elements to blend the facility with surrounding materials and colors of the adjacent street light or utility pole to which it is mounted. Concealment elements include:
    - (A) Radio frequency transparent screening;
    - (B) Approved, specific colors;
    - (C) Use of non-reflective material(s);
    - (D) Minimizing the size of the site;
    - (E) Integrating the installation into existing or replacement utility infrastructure;
    - (F) Installing new infrastructure that matches existing infrastructure in the area surrounding the proposed site.

## City Policy

- (G) Antennas, brackets (mounting), PVC or steel risers and cabling shall match the color of the adjacent structure.
- (H) Paint shall be of durable quality.
- (I) Materials shall be non-flammable and non-reflective.
- (J) Each individual antenna may not exceed three cubic feet in volume and all antennas may not exceed six cubic feet in volume.

### (3) **Accessory Equipment.**

- (A) **Installation Preferences.** SWF accessory equipment shall be enclosed in replacement poles or placed underground where technically feasible, and if not feasible, shall be as small, short and unobtrusive as possible. Applications that involve lesser-preferred installation locations may be approved so long as the applicant demonstrates that no more preferred installation location would be technically infeasible as supported by clear and convincing evidence in the written record.
  - (B) **Undergrounded Accessory Equipment.** All undergrounded accessory equipment must be installed in an environmentally controlled vault that is load-rated to meet the City's standards and specifications. Underground vaults located beneath a sidewalk must be constructed with a slip-resistant cover. Vents for airflow shall be flush-to-grade when placed within the sidewalk and may not exceed two feet above grade when placed off the sidewalk. Applicants shall not be permitted to install an underground vault in a location that would cause any existing tree to be materially damaged or displaced.
- (c) **Streetlights.** Applicants that propose to install SWFs on an existing streetlight must remove and replace the existing streetlight with one substantially similar to the City's standards and specifications but designed to accommodate wireless antennas and accessory equipment. To mitigate any material changes in the streetlighting patterns, the replacement pole must: (A) be located as close to the removed pole as possible; (B) be aligned with the other existing streetlights; and (C) include a luminaire at substantially the same height and distance from the pole as the luminaire on the removed pole. All antennas must be installed in a way to not disrupt streetlighting patterns and be camouflaged as technologically feasible.
- (d) **Wood Utility Poles.** Applicants that propose to install SWFs on an existing wood utility pole must install all antennas above the pole unless the applicant demonstrates that mounting the antennas above the pole would be technically infeasible as supported by clear and convincing evidence in the written record. Side-mounted antennas on a stand-off bracket or extension arm must be concealed within a shroud or other similar device as technologically feasible. All cables, wires, and other connectors must be concealed within the side-arm mount, extension arm, or via conduit. The maximum horizontal separation

## City Policy

between the antenna and the pole shall be the minimum separation required by applicable health and safety regulations.

- (e) **For Replacement Poles and Street Lights.** If an applicant proposes a replacement pole or street light to accommodate the SWF, the replacement shall be immediately adjacent to the street light or pole being replaced; unless the replacement will not meet all applicable standards, then replacement may be located in an alternative location within 25 feet of original location and shall comply with the requirements herein.
- (f) **New, Non-Replacement Poles.** Applicants that propose to install SWFs on a new, non-replacement pole must install a pole substantially similar to the City's standards and specifications but designed to accommodate wireless antennas and accessory equipment located within 25 feet to the proposed location. If there are no existing streetlights in the immediate vicinity, the applicant may install a metal or composite pole capable of concealing all the accessory equipment either within the pole, concealed via conduit flush to the outside of the pole, or within an integrated enclosure located at the base of the pole. All antennas, whether on a new streetlight or other new pole, shall be installed above the pole as technologically feasible and/or be camouflaged as technologically feasible.
  - (1) The new pole must actually function for a purpose other than placement of a wireless facility (e.g. street light, utility pole, etc.).
  - (2) The design must match the dimensions and design of existing and similar types of poles and antennas in the surrounding areas.
- (g) **Encroachments over Private Property.** SWFs may not encroach onto or over any private or other property outside the PROW without the property owner's express written consent.
- (h) **Backup Power Sources.** Fossil-fuel based backup power sources shall not be permitted within the PROW; provided, however, that connectors or receptacles may be installed for temporary backup power generators used in an emergency declared by federal, state, or local officials.
- (i) **Obstructions; Public Safety.** Small wireless facilities and any associated equipment or improvements shall not physically interfere with or impede access to any: (A) worker access to any above-ground or underground infrastructure for traffic control, streetlight or public transportation, including without limitation any curb control sign, parking meter, vehicular traffic sign or signal, pedestrian traffic sign or signal, barricade reflectors; (B) access to any public transportation vehicles, shelters, street furniture, or other improvements at any public transportation stop; (C) worker access to above-ground or underground infrastructure owned or operated by any public or private utility agency; (D) fire hydrant or water valve; (E) access to any doors, gates, sidewalk doors, passage doors, stoops, or other ingress and egress points to any building appurtenant to the rights-of-way; or (F) access to any fire escape.
- (j) **Utility Connections.** All cables and connectors for telephone, data backhaul, primary electric, and other similar utilities must be routed underground in conduits large enough

## City Policy

to accommodate future collocated wireless facilities. Undergrounded cables and wires must transition directly into the pole base without any external doghouse. All cables, wires and connectors between the underground conduits and the antennas and other accessory equipment shall be routed through and concealed from view within: (A) internal risers or conduits if on a concrete, composite or similar pole; or (B) a cable shroud or conduit mounted as flush to the pole as possible if on a wood pole or other pole without internal cable space. The approval authority shall not approve new overhead utility lines or service drops merely because compliance with the undergrounding requirements would increase the project cost.

(k) **Spools and Coils.** To reduce clutter and deter vandalism, excess fiber optic or coaxial cables shall not be spooled, coiled, or otherwise stored on the pole outside equipment cabinets or shrouds.

(l) **Electric Meters.**

(1) SWFs shall use unmetered (flat rate) electric service, if allowed by the utility company, or use the narrowest, shrouded electric meter, and disconnect available. Permittees shall ensure the meter and other enclosures are well maintained, including regular painting, and the use of a graffiti-resistant paint, and stack the disconnect switch above/below the meter, instead of attached to the side of the meter.

(2) Electrical meters, vaults, and fans shall be located underground where feasible.

(m) **Building-Mounted Small Wireless Facilities.**

(A) **Preferred Concealment Techniques.** All applicants must propose new non-tower SWFs that are completely concealed and architecturally integrated into the existing facade or rooftop features with no visible impacts from any publicly accessible areas at ground level (examples include, but are not limited to, antennas behind existing parapet walls or facades replaced with RF-transparent material and finished to mimic the replaced materials). Alternatively, if the applicant demonstrates with clear and convincing evidence that integration with existing features is technically infeasible, the applicant may propose completely concealed new structures or appurtenances designed to mimic the support structure's original architecture and proportions (examples include, but are not limited to, steeples and chimneys).

(B) **Facade-Mounted Equipment.** When SWFs cannot be placed behind existing parapet walls or other existing screening elements, the approval authority may approve facade-mounted equipment in accordance with this Subsection. All facade-mounted equipment must be concealed behind screen walls and mounted flush to the facade. The approval authority may not approve "pop-out" screen boxes. Except in industrial zones, the approval authority may not approve any exposed facade-

## City Policy

mounted antennas, including but not limited to exposed antennas painted to match the facade.

- (n) **Future Modifications.** Any modifications to existing facilities or collocations shall not defeat the concealment elements of the existing structure/facility.